

Recital Studio Technical Brief

FACILITIES LOADING/UNLOADING **SEATING CAPACITY** LOADING DOCK The loading dock is on Union Street. Access from Straits Area: 280m² Total Capacity: 120 seats **Boulevard and Marina View DRESSING ROOM** Loading Dock Entrance Clear Height: 4.5m (ht) Located at the back of the Recital Studio, each dressing Loading Bay Opening: 7.7m (w) x 7.7m (d) room is equipped with make-up mirrors and tables, full Loading Bay Corridor Spacing: 2.05m (w) x 1.9m length mirrors and audio monitoring system Each dressing room can accommodate up to a **SERVICE / CARGO LIFT** maximum of 4 persons at any one point in time Service Lift Corridor Opening: 2.1m (ht) x 2.05m (w) Dressing Room 1 and 2 (Each room include facilities): Service Lift Door Opening: 1 dressing cubicle 2.1m (ht) x 2.1m (w) 3 make-up stations (group dressing table) Service Lift Dimension: 4 units of lockers 2.2m (w) x 2.85m (d) x 2.4m (ht) Safe Working Load for Service Lift: 2,500kg LIGHTING **AUDIO MIXERS GENERAL LIGHTING** Behringer WING 48 Channel Digital Mixer LED Downlight (Dimmable) 1 unit of Midas DL32 Stage Box CONTROL CONSOLE Location: Control Room **Avolites Quartz FOH SPEAKERS** In / Out: Local DMX 2 units of DB Tech Vio x205 60 degree 3 units of DB Tech VIo x205 100 degree **CONNECTOR TYPE** 2 units of DB Tech MS 12 Active Sub 16A, CEE 17 **AUDIO MONITORING / SHOW RELAY STANDARD RIG** (Please refer to Lighting Plan) 2 units of Tannoy Reveal 502 Studio 8 units of ETC ColorSource Spot Jr Deep Monitors (Control Room) Blue 2 units of Mackie MR MK3 Studio Monitor (Fover)

Last Updated: 16 Aug 2023



Recital Studio Technical Brief

VIDEO & PROJECTION

PROJECTOR (Front Throw)

 1 unit of Panasonic PT-DW830K with 8500 Lumens

• Resolution: 1280 x 800

PROJECTOR SCREEN

Location: Stage Centre

Motorized Tension Projector Screen

Dimensions: 3.5m (w) x 2m (h)

LED TV MONITOR (Fixed Wall Mounted)

1 unit of 46" LED TV Monitor (Pre-function Hall
Level 6 Foyer)

PLAYBACK

- Aspect Ratio 16:9
- HDMI Output
- Playback devices should be provided by Hirer
- Windows-based laptop recommended

STAGING

RECITAL STUDIO FLOORING

- Timber Oak flooring with acoustically treated wall panels and ceiling
- Loading of Recital Hall: 4.0kN/m²

RECITAL STUDIO FOYER FLOORING

- Carpet flooring with acoustic treated wall panels
- Loading of Foyer Area: 4.0kN/m²

Last Updated: 16 Aug 2023

SINGAPORE CHINESE CULTURAL CENTRE

Recital Studio Technical Brief

ADDITIONAL ITEMS

<u>Use of additional items is upon request and subject to availability. Additional time and manpower costs may be incurred during bump-in and teardown.</u>

CATEGORY	ITEMS
AUDIO	Mackie TH-12D
	Wireless Handheld Shure ULXD2/SM58
	Clip-on Shure ULXD1/WL185
	Shure SM58-CN
	Shure Beta56A
	Shure Beta58A
	Neumann KM184
	Shure SM57
	Shure ULXD2/ Beta58A
	Shure SM81
	Active DI Box
LIGHTING	Nil
STAGING	Black Orchestra Chairs
	Music Score Stands
VIDEO	Portable Projector with Screen (front-throw)

Last Updated: 16 Aug 2023